

ENGLISH TRANSLATION OF JAPANESE UNEXAMINED UTILITY MODEL
PUBLICATION NO. 1982-101739

- (11) Japanese Unexamined Utility Model Publication No. 1982-101739
(43) Published on June 23, 1982
(51) Int.Cl.³ B 65 D 25/32
(54) Handle Band

- (21) Utility Model Application No. 1980-179371
(22) Filed on December 13, 1980
(72) Creator of the Device : Takatoshi DOBASHI
1-2-14, Hitashiowada, Ichikawa-shi
(74) Attorney : Masaharu KOBAYASHI

(57) Claims

- (1) A handle band comprising a belt-shaped portion; fastening pieces that are wider than the belt-shaped portion and formed at the ends in the longitudinal direction of the belt-shaped portion; and bending portions provided on inner areas of the fastening pieces, the bending portions being capable of bending by protruding in a V shape toward the back side and indenting in a V shape on the front side.
- (2) The handle band according to Claim 1, wherein cut portions are provided on the sides in the longitudinal direction of the bending portions.

Brief Description of the Drawings

Fig. 1 is an illustration of an example of use of a prior art handle band. Fig. 2 is a set of drawings showing an example of a prior art handle band, in which ㄐ is a plane view and □ is a front view. Fig. 3 is a set of drawings showing an example of the handle band of the present device, in which ㄐ is a front view, □ is a left-half bottom view, ㄥ is a right side view, 二 is a right end view of a fastening piece in a bent state, ㄗ is a side view of an essential portion in a state of being inserted into an opening; and ㄒ is a plane view of an essential portion in the same state.

1 indicates a belt-shaped portion; 2, a fastening piece; 3, a bending portion; 4, the back side of the belt-shaped portion;

and 6 and 7, cut portions.

⑫ 公開実用新案公報 (U)

昭57—101739

⑤ Int. Cl.³
B 65 D 25/32

識別記号

庁内整理番号
6552—3E

④ 公開 昭和57年(1982)6月23日

審査請求 有

(全 2 頁)

⑭ 把手バンド

市川市東大和田 1—2—14

⑪ 出 願 人 土橋隆利

市川市東大和田 1—2—14

① 実 願 昭55—179371

② 出 願 昭55(1980)12月13日

⑬ 代 理 人 弁理士 小林正治

⑦ 考 案 者 土橋隆利

⑯ 実用新案登録請求の範囲

- (1) 带状部の長手方向両端に带状部より幅の広い係止片を形成し、この係止片の内側に裏面側へV字状に突出し且表側をV字状に凹陷させて屈曲自在とした折曲げ部を設けてなる把手バンド。
- (2) 折曲げ部の長手方向両側に切欠部を設けてなる実用新案登録請求の範囲第1項記載の把手バンド。


図面の簡単な説明

第1図は従来の把手バンドの使用例を示す説明


図、第2図は従来の把手バンドの一例を示すもので、イは平面図、ロは正面図、第3図は本考案に係る把手バンドの一例を示すもので、イは正面図、ロは左半分底面図、ハは右側面図、ニは係止片を折曲げた状態の右端面図、ホは差込口に差込んだ状態の要部側面図、ヘは同状態の要部平面図である。

1は带状部、2は係止片、3は折曲げ部、4は带状部の裏面、6、7は切欠部。

第1図



第2図



第3図

